

Sunfarm Series

VFD-Solar Pump Controller




About Servotech Renewable

Servotech Renewable Power System Ltd. (NSE: SERVOTECH) is India's leading manufacturer of advanced clean energy solutions, specializing in solar Solutions, BESS and EV charging solutions. With a robust pan-India presence, agile manufacturing, and strong R&D capabilities, Servotech is driving India's transition toward a sustainable, energy-independent, and technologically empowered future. Through continuous innovation, strategic collaborations, and large-scale deployments, the company delivers reliable, high-performance solutions that support the nation's clean energy goals. Servotech's comprehensive portfolio spanning solar panels, inverters, Lithium batteries, and EV chargers reflects its commitment to engineering excellence and environmental stewardship. By aligning business growth with global sustainability standards, Servotech stands as a catalyst in shaping India's green energy transformation and powering a cleaner tomorrow.



Model Reference



Technical Specifications


Output Voltage	220V	380V
Max input DC voltage(VOC)	400V	800V
DC voltage range	150V -400V	250V -800V
Recommended DC input voltage range(Vmpp)	250V -350V	450V -650V
Recommended input operation voltage	320V (Vmpp)	500 (Vmpp)
MPPT efficiency	>99%	
Rated output voltage	1/3-phase 220VAC	3-phase 380V-480V VAC
Output frequency range	50/60Hz(maximum500Hz)	
Max efficiency of the machine	99%	
Ambient temperature range	-10 °C-40°C, derating if the temperature is above 40 °C	
Cooling method	Air cooling	
Protection degree	IP20/P21	
Altitude	Below 1000m; above 1% for every additional 100m.	

Model Range

NO	Power	Dimension(mm)			Installation Size(mm)		Hole Φ
		W	D	H	W1	H1	
ST-A00	0.75-2.2KW/220V 0.75-2.2KW/380V	170	86	141	157	75	5MM
ST-A01	4-5.5KW/380V	188	96	171	176	83.6	5MM
ST-A02	7.5-11KW	228	114	192	214.5	98.7	5MM
ST-A03	15-18.5KW	290	160	182	269	143	6.5MM
ST-A04	22-30KW	328	193	217	305	172	8.5MM
ST-A05	37-45KW	344	228	223	324	206	8.5MM
ST-A06	55KW	490	327.5	238	459	202.5	10MM
ST-A07	75-93KW	526	300	304	504	200	9MM
ST-A08	110-132KW	690	370	360	636.5	232	10MM
ST-A09	160-220KW	720	410	360	690	330	10MM
ST-A10	250-315KW	1060	650	392.5	1030	420	12MM
ST-A11	355-500KW	1361.5	818	404.5	1280	520	16MM

*Due to product upgrade, size update without prior notice, Consult staff for details.

Product Size



LED & LCD Keypad

1. Standard LED keypad, LCD keypad optional. Both can monitor 2 parameters at the same time
2. Copy keypad optional. It can copy parameters from one inverter to another. Inverters must be of the same model

INDIA'S TRUSTED



CONTACT US

Ph: 011-41183116, +91 97176 91800 |  +91 93113 13734

Email: servotech@servotechindia.com | Website: www.servotech.in

Servotech Renewable Power System Ltd.

Corporate Office : 806, 8th Floor, Crown Heights, Sector-10, Rohini, New Delhi - 110085

Warehouse: Khasra No. 8/5, 6, 14/2, 15/1, 16/2 Min & 17, Jakhauli Road, Jhundpur, Sonipat, Haryana - 131021

Reg. Add. & Kundli Plant: Khata No. 1970, Khewat No. 1672, Khasra No. 21/20/2/2, Revenue Estate, Kundli, P.S.Rai, Sonipat, Haryana - 131029

Safiabad Plant: Killa No. 14/6/1/2 (0-3), 6/2/3 (5-13) Village-Safiabad, Pana Paposhian, Rai, Sonipat, Haryana - 131029

